

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	28	((MAXIM) near2 (BELOTSERKOVSKY)).INV.	US-PGPUB; USPAT	ADJ	ON	2008/10/16 10:59
L2	19	((VINCENT) near2 (DEMOULIN)).INV.	US-PGPUB; USPAT	ADJ	ON	2008/10/16 11:00
L3	82	((LOUIS) near2 (LITWIN)).INV.	US-PGPUB; USPAT	ADJ	ON	2008/10/16 11:00
S1	560	(370/206).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/10 12:04
S2	104	(370/207).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/15 11:45
S3	1130	(370/208).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/15 11:51
S4	618	(370/210).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/15 11:59
S5	43	(370/211).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/15 11:59
S6	640	(370/203).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/15 12:01
S9	70	(buffer\$3 near2 ofdm)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/15 12:04

S10	69	S9 and (receiv\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/15 12:04
S12	2	(buffer\$3 or stor\$3) near2 (ofdm near2 packet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/15 12:29
S13	29	"370".clas. and (ofdm near2 buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/15 12:33
S21	1809	(375/350).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/15 12:48
S22	201	S21 and (equaliz\$3) and (buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/15 12:50
S23	12	S21 and (ofdm near2 equaliz \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/10 12:21
S24	1	S21 and ((buffer\$3 or stor\$3) near2 (ofdm))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/15 12:53
S25	14	"375".clas. and (ofdm near2 buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/15 12:54
S31	684	(370/343).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/10 12:11

S32	0	S31 and (equaliz\$3) near2 (buffer or memory or queue or stor\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/10 12:06
S33	573	*375*.clas and (equaliz\$3) near2 (buffer or memory or queue or stor\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/10 12:12
S34	9	S33 and (ofdm near2 receiver)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/10 12:19
S35	2	("2002/0021750").URPN.	USPAT	ADJ	ON	2007/12/10 12:15
S36	691	(least mean square) same (module or processor or engine)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/10 12:22
S37	468	S36 and (buffer or stora\$4 or queue or memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/10 12:22
S38	539	S36 and (buffer or stor\$4 or queue or memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/10 12:22
S39	143	S38 and (equalizer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/10 12:51
S40	4	S39 and (ofdm near2 receiver)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/10 12:24

S41	13	S39 and (ofdm near2 receiv\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/10 12:24
S47	0	("2005/0201267").URPN.	USPAT	ADJ	ON	2007/12/10 12:43
S48	163	S38 and (equaliz\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/10 13:00
S49	97	(ofdm) same (buffer or queue or storage) same (receiver) same (controller or processor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/10 13:01
S52	893	(equaliz\$3) same (ofdm) same (signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/10 13:41
S53	519	S52 and (buffer or queue or stor\$4 or memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/10 13:42
S54	19	S53 and (pilot near2 track\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/10 14:00
S55	980	(receiv\$3) same (ofdm) same (buffer or queue or memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/13 10:21
S56	0	S55 and (eaqualiz\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/13 10:21

S57	305	S55 and (equaliz\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/13 10:22
S58	207	S57 and (processor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/13 10:22
S59	196	S58 and (control\$4 or controller)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/13 10:22
S60	0	("2004/0105506").URPN.	USPAT	ADJ	ON	2007/12/13 10:40
S82	2045	((chang\$3 or mov\$3 or modify \$3) same (index pointer or window location))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/13 17:24
S86	32	(provid\$3 or transmit\$3) (pilot near2 data) same (buffer or queue or memory or stor\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/13 18:09
S87	12	(stor\$3) same (pilot near2 track \$3 near2 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/13 18:12
S88	2209	((track\$3 or determin\$8 or measur\$3) same (pilot near2 symbol))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/13 18:14
S89	1350	S88 and (buffer\$3 or stor\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/13 18:14

S90	54	S88 and ((buffer\$3 or stor\$3) same (pilot data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/13 18:39
S101	14	(pilot near2 track\$3 near2 data) same(buffer or queue or stor\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/14 10:00
S110	366	((stor\$3 or buffer\$3) same (pilot data or fine estimate data or frame synchronization data or equalization data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/14 11:17
S122	610	(central buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/14 13:55
S123	3	S122 and (ofdm near2 receiver)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/14 13:50
S124	2	"5771224".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/14 13:49
S125	3	S122 and (ofdm near2 receive \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/14 13:51
S126	1	S122 and (pilot near2 track\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/14 13:51
S127	2	((centraliz\$2 buffer or centraliz \$2 storage)near2 (ofdm))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/14 13:57

S128	12	((centraliz\$2 buffer or centraliz\$2 storage)near2 (receiv\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/14 13:57
S129	12	((centraliz\$2 buffer or centraliz\$2 storage or centraliz\$2)near2 (receiv\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/14 13:57
S130	116	((estimatz\$3 or determin\$8) same (coarse signal))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/14 16:11
S131	100	S130 and (control\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/14 16:08
S133	2	S131 and ( preamble)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/14 16:07
S136	116	((estimatz\$3 or determin\$8) same (coarse signal))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/14 16:12
S137	1563	((ofdm) same (preamble or header))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/14 16:13
S138	1	S136 and S137	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/14 16:13
S139	447	((ofdm) near2 (preamble or header))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/14 16:14

S140	1	S136 and S138	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/14 16:13
S142	53	S139 and (estimat\$3 near2 coarse)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/14 16:14
S143	606	(370/206).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 12:46
S144	120	(370/207).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 12:46
S145	1373	(370/208).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 12:46
S146	774	(370/210).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 12:46
S147	48	(370/211).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 12:46
S148	788	(370/203).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 12:47
S150	12	(centraliz\$2 or shar\$2) same buffer or memory or queue or stor\$4) with (ofdm near2 (symbol or signal or data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 12:53



S151	0	S143 and(centraliz\$2 or shar \$2) same (buffer or memory or queue or stor\$4) with (ofdm near2 (symbol or signal or data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 13:05
S152	618	*375".clas. and (equaliz\$3) near2 (buffer or memory or queue or stor\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 13:05
S153	0	S152 and(centraliz\$2 or shar \$2) same (buffer or memory or queue or stor\$4) with (ofdm near2 (symbol or signal or data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 13:06
S154	0	(centraliz\$2 or shar\$2) near3 (buffer or memory or queue or stor\$4)with (FFT near2 process \$3)near2 (equaliz\$3 or (pilot near2 track\$3) or (pilot or carrier near2 (estimat\$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 13:46
S155	73	(FFT near2 process\$3)near2 (equaliz\$3 or (pilot near2 track \$3) or (pilot or carrier near2 (estimat\$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 13:47
S156	1	S155 and (centraliz\$2 or shar \$2) near3 (buffer or memory or queue or stor\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 13:47
S157	1	S155 and (centraliz\$2 or shar \$2) near3 (buffer or memory or queue or stor\$4 near3 (unit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 14:23
S159	4	(receiv\$3 near2 (symbol or data))same (centraliz\$2 or shar \$2) near3 (buffer or memory or queue or stor\$4 near3 (unit)) with (FFT or ofdm near2 (process\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 14:26
S160	4	(receiv\$3 near2 (symbol or data))same (centraliz\$2 or shar \$2 or pipelin\$2) near3 (buffer or memory or queue or stor\$4 near3 (unit))with (FFT or ofdm near2 (process\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 14:30

S161	19	(symbol or data)same (centraliz\$2 or shar\$2 or pipelin\$2) near3 (buffer or memory or queue or stor\$4 near3 (unit)) with (FFT or ofdm near2 (process\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 14:31
S163	0	(receiver or input or receiv\$3) same(common or centraliz\$2) near5 (memory or queue or stor\$4) same (buffer\$1)same(ofdm near2 process\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 16:28
S164	0	(receiver or input or receiv\$3) same(common or centraliz\$2) near5 (memory or queue or stor\$4) same (buffer\$1)same (ofdm)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 16:29
S165	0	(common or centraliz\$2) near5 (memory or queue or stor\$4) same (buffer\$1)same(ofdm)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 16:29
S166	18	(common or centraliz\$2) near5 (memory or queue or stor\$4 or buff\$4) same (ofdm)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 16:29
S167	0	(receiver or receiv\$3) same (common or centraliz\$2) near5 (memory or queue or stor\$4) same (buffer\$1)same(ofdm near2 process\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 17:08
S168	0	(common or centraliz\$2) near5 (memory or queue or stor\$4) same (buffer\$1)same(ofdm near2 process\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 17:08
S169	0	(common or centraliz\$2 or shar\$3) near5 (memory or queue or stor\$4) same (buffer\$1)same (ofdm near2 process\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 17:08
S170	10	(common or centraliz\$2 or shar\$3) near5 (memory or queue or stor\$4 or buffer) same (ofdm near2 process\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 17:09

S171	10	((common or centraliz\$2 or shar\$3) near\$1 (memory or queue or stor\$4 or buffer or (memory near\$2 bank)) same (ofdm near\$2 process\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 17:11
S172	0	((receiv\$3 or receiver) (common or centraliz\$2 or shar\$3) near\$1 (memory or queue or stor\$4 or buffer or (memory near\$2 bank)) with (ofdm near\$2 process\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 17:18
S173	0	((receiv\$3 or receiver) near\$1 (symbol or carrier\$1 or data) same((common or centraliz\$2 or shar\$3) near\$1 (memory or queue or stor\$4 or buffer or (memory near\$2 bank)) with (ofdm near\$2 process\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 17:19
S174	3	((receiv\$3 or receiver) near\$1 (symbol or carrier\$1 or data) near\$1 (memory or queue or stor\$4 or buffer or (memory near\$2 bank)) with (ofdm near\$2 process\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 17:20

10/16/2008 11:02:06 AM

C:\Documents and Settings\celpenord\My Documents\EAST\Workspaces\10523442.wsp